

| [Skip to content](#) | [Skip to footer](#)



End-of-Sale and End-of-Life Announcement for the Cisco Catalyst 3750G, 3560G, 3750-E, and 3560-E Series Switches

Updated: Jul 18, 2012^{EOL8044} - Amended

Cisco announces the end-of-sale and end-of-life dates for the Cisco Catalyst 3750G, 3560G, 3750-E, and 3560-E Series Switches. The last day to order the affected product(s) is January 30, 2013. Customers with active service contracts will continue to receive support from the Cisco Technical Assistance Center (TAC) as shown in Table 1 of the EoL bulletin. Table 1 describes the end-of-life milestones, definitions, and dates for the affected product(s). Table 2 lists the product part numbers affected by this announcement. For customers with active and paid service and support contracts, support will be available until the termination date of the contract, even if this date exceeds the Last Date of Support shown in Table 1.

Please note that the list price of some of the products listed in this announcement may increase in the next 12 months.

Table 1. End-of-Life Milestones and Dates for the Cisco Catalyst 3750G, 3560G, 3750-E, and 3560-E Series Switches

Milestone	Definition	Date
End-of-Life Announcement Date	The date the document that announces the end-of-sale and end-of-life of a product is distributed to the general public.	January 31, 2012
End-of-Sale Date	The last date to order the product through Cisco point-of-sale mechanisms. The product is no longer for sale after this date.	January 30, 2013
Last Ship Date: HW	The last-possible ship date that can be requested of Cisco and/or its contract manufacturers. Actual ship date is dependent on lead time.	April 30, 2013
End of SW Maintenance Releases Date: HW	The last date that Cisco Engineering may release any final software maintenance releases or bug fixes. After this date, Cisco Engineering will no longer develop, repair, maintain, or test the product software.	January 30, 2014
End of Routine Failure Analysis Date: HW	The last-possible date a routine failure analysis may be performed to determine the cause of hardware product failure or defect.	January 30, 2014
End of New Service	For equipment and software that is not covered by a	January

Attachment Date: HW	service-and-support contract, this is the last date to order a new service-and-support contract or add the equipment and/or software to an existing service-and-support contract.	30, 2014
End of Vulnerability/Security Support: OS SW	The last date that Cisco Engineering may release a planned maintenance release or scheduled software remedy for a security vulnerability issue.	January 30, 2016
End of Service Contract Renewal Date: HW	The last date to extend or renew a service contract for the product.	April 30, 2017
Last Date of Support: HW	The last date to receive service and support for the product. After this date, all support services for the product are unavailable, and the product becomes obsolete.	January 31, 2018

HW = Hardware OS SW = Operating System Software App. SW = Application Software

Table 2. Product Part Numbers Affected by This Announcement

End-of-Sale Product Part Number	Product Description	Replacement Product Part Number	Replacement Product Description	Additional Information
WS-C3560E-12SD-E	Catalyst 3560E 12 SFP+2*10GE(X2), IPS s/w	WS-C3750X-12S-E	Catalyst 3750X 12 Port GE SFP IP Services	-
WS-C3560E-12SD-E=	Catalyst 3560E 12SD Spare Chassis, IPS s/w, No Power Supplies	WS-C3750X-12S-E	Catalyst 3750X 12 Port GE SFP IP Services	-
WS-C3560E-12SD-S	Catalyst 3560E 12 SFP+2*10GE(X2), IPB s/w	WS-C3750X-12S-S	Catalyst 3750X 12 Port GE SFP IP Base	-
WS-C3560E-12SD-S=	Catalyst 3560E 12SD Spare Chassis, IPB s/w, No Power Supplies	WS-C3750X-12S-S	Catalyst 3750X 12 Port GE SFP IP Base	-
WS-C3560E-24PD-E	Catalyst 3560E 24 10/100/1000 PoE+2*10GE(X2), 750W, IPS s/w	WS-C3560X-24P-E	Catalyst 3560X 24 Port PoE IP Services	-
WS-C3560E-24PD-S	Catalyst 3560E 24 10/100/1000 PoE+2*10GE(X2), 750W, IPB s/w	WS-C3560X-24P-S	Catalyst 3560X 24 Port PoE IP Base	-

WS-C3560E-24TD-E	Catalyst 3560E 24 10/100/1000+2*10GE(X2), 265W, IPS s/w	WS-C3560X-24T-E	Catalyst 3560X 24 Port Data IP Services	-
WS-C3560E-24TD-S	Catalyst 3560E 24 10/100/1000+2*10GE(X2), 265W, IPB s/w	WS-C3560X-24T-S	Catalyst 3560X 24 Port Data IP Base	-
WS-C3560E-24TD-SD	Catalyst 3560E 24 10/100/1000 + 2*10GE(X2), 265W DC, IPB s/w	WS-C3560X-24T-S	Catalyst 3560X 24 Port Data IP Base	-
WS-C3560E-48PD-E	Catalyst 3560E 48 10/100/1000 PoE+2*10GE(X2), 750W, IPS s/w	WS-C3560X-48P-E	Catalyst 3560X 48 Port PoE IP Services	-
WS-C3560E-48PD-EF	Catalyst 3560E 48 10/100/1000 PoE+2*10GE(X2), 1150W, IPS s/w	WS-C3560X-48PF-E	Catalyst 3560X 48 Port Full PoE IP Services	-
WS-C3560E-48PD-S	Catalyst 3560E 48 10/100/1000 PoE+2*10GE(X2), 750W, IPB s/w	WS-C3560X-48P-S	Catalyst 3560X 48 Port PoE IP Base	-
WS-C3560E-48PD-SF	Catalyst 3560E 48 10/100/1000 PoE+2*10GE(X2), 1150W, IPB s/w	WS-C3560X-48PF-S	Catalyst 3560X 48 Port Full PoE IP Base	-
WS-C3560E-48TD-E	Catalyst 3560E 48 10/100/1000+2*10GE(X2), 265W, IPS s/w	WS-C3560X-48T-E	Catalyst 3560X 48 Port Data IP Services	-
WS-C3560E-48TD-S	Catalyst 3560E 48 10/100/1000+2*10GE(X2), 265W, IPB s/w	WS-C3560X-48T-S	Catalyst 3560X 48 Port Data IP Base	-
WS-C3560E-48TD-SD	Catalyst 3560E 48 10/100/1000 + 2*10GE(X2), 265W DC, IPB s/w	WS-C3560X-48T-S	Catalyst 3560X 48 Port Data IP Base	-
WS-C3560G-24PS-E	Catalyst 3560 24 10/100/1000T PoE + 4 SFP + IPS Image	WS-C3560X-24P-E	Catalyst 3560X 24 Port PoE IP Services	-
WS-C3560G-24PS-S	Catalyst 3560 24 10/100/1000T PoE + 4 SFP + IPB Image	WS-C3560X-24P-S	Catalyst 3560X 24 Port PoE IP Base	-
WS-	Catalyst 3560 24	WS-C3560X-	Catalyst 3560X	-

C3560G-24TS-E	10/100/1000T + 4 SFP + IPS Image	24T-E	24 Port Data IP Services	
WS-C3560G-24TS-S	Catalyst 3560 24 10/100/1000T + 4 SFP + IPB Image	WS-C3560X-24T-S	Catalyst 3560X 24 Port Data IP Base	-
WS-C3560G-48PS-E	Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPS Image	WS-C3560X-48P-E	Catalyst 3560X 48 Port PoE IP Services	-
WS-C3560G-48PS-S	Catalyst 3560 48 10/100/1000T PoE + 4 SFP + IPB Image	WS-C3560X-48P-S	Catalyst 3560X 48 Port PoE IP Base	-
WS-C3560G-48TS-E	Catalyst 3560 48 10/100/1000T + 4 SFP + IPS Image	WS-C3560X-48T-E	Catalyst 3560X 48 Port Data IP Services	-
WS-C3560G-48TS-S	Catalyst 3560 48 10/100/1000T + 4 SFP + IPB Image	WS-C3560X-48T-S	Catalyst 3560X 48 Port Data IP Base	-
WS-C3750E-24PD-E	Catalyst 3750E 24 10/100/1000 PoE+2*10GE(X2), 750W, IPS s/w	WS-C3560X-24P-E	Catalyst 3560X 24 Port PoE IP Services	-
WS-C3750E-24PD-S	Catalyst 3750E 24 10/100/1000 PoE+2*10GE(X2), 750W, IPB s/w	WS-C3750X-24P-S	Catalyst 3750X 24 Port PoE IP Base	-
WS-C3750E-24TD-E	Catalyst 3750E 24 10/100/1000+2*10GE(X2), 265W, IPS s/w	WS-C3750X-24T-E	Catalyst 3750X 24 Port Data IP Services	-
WS-C3750E-24TD-S	Catalyst 3750E 24 10/100/1000+2*10GE(X2), 265W, IPB s/w	WS-C3750X-24T-S	Catalyst 3750X 24 Port Data IP Base	-
WS-C3750E-24TD-SD	Catalyst 3750E 24 10/100/1000 + 2*10GE(X2), 265W DC, IPB s/w	WS-C3750X-24T-S	Catalyst 3750X 24 Port Data IP Base	-
WS-C3750E-48PD-E	Catalyst 3750E 48 10/100/1000 PoE+2*10GE(X2), 750W, IPS s/w	WS-C3750X-48P-E	Catalyst 3750X 48 Port PoE IP Services	-
WS-C3750E-48PD-EF	Catalyst 3750E 48 10/100/1000 PoE+2*10GE(X2), 1150W, IPS s/w	WS-C3750X-48PF-E	Catalyst 3750X 48 Port Full PoE IP Services	-

WS-C3750E-48PD-S	Catalyst 3750E 48 10/100/1000 PoE+2*10GE(X2), 750W, IPB s/w	WS-C3750X-48P-S	Catalyst 3750X 48 Port PoE IP Base	-
WS-C3750E-48PD-SF	Catalyst 3750E 48 10/100/1000 PoE+2*10GE(X2), 1150W, IPB s/w	WS-C3750X-48PF-S	Catalyst 3750X 48 Port Full PoE IP Base	-
WS-C3750E-48TD-E	Catalyst 3750E 48 10/100/1000+2*10GE(X2), 265W, IPS s/w	WS-C3750X-48T-E	Catalyst 3750X 48 Port Data IP Services	-
WS-C3750E-48TD-S	Catalyst 3750E 48 10/100/1000+2*10GE(X2), 265W, IPB s/w	WS-C3750X-48T-S	Catalyst 3750X 48 Port Data IP Base	-
WS-C3750E-48TD-SD	Catalyst 3750E 48 10/100/1000 + 2*10GE(X2), 265W DC, IPB s/w	WS-C3750X-48T-S	Catalyst 3750X 48 Port Data IP Base	-
WS-C3750G-12S-E	Catalyst 3750 12 SFP + IPS Image	WS-C3750X-12S-E	Catalyst 3750X 12 Port GE SFP IP Services	-
WS-C3750G-12S-S	Catalyst 3750 12 SFP + IPB Image	WS-C3750X-12S-S	Catalyst 3750X 12 Port GE SFP IP Base	-
WS-C3750G-12S-SD	Catalyst 3750 12 SFP DC powered + IPB Image	WS-C3750X-12S-S	Catalyst 3750X 12 Port GE SFP IP Base	-
WS-C3750G-24PS-E	Catalyst 3750 24 10/100/1000T PoE + 4 SFP + IPS Image	WS-C3750X-24P-E	Catalyst 3750X 24 Port PoE IP Services	-
WS-C3750G-24PS-S	Catalyst 3750 24 10/100/1000T PoE + 4 SFP + IPB Image	WS-C3750X-24P-S	Catalyst 3750X 24 Port PoE IP Base	-
WS-C3750G-24T-E	Catalyst 3750 24 10/100/1000T + IPS Image	WS-C3750X-24T-E	Catalyst 3750X 24 Port Data IP Services	-
WS-C3750G-24T-S	Catalyst 3750 24 10/100/1000T + IPB Image	WS-C3750X-24T-S	Catalyst 3750X 24 Port Data IP Base	-
WS-C3750G-	Catalyst 3750 24 10/100/1000 + 4 SFP +	WS-C3750X-24T-E	Catalyst 3750X 24 Port Data IP	-

24TS-E1U	IPS Image; 1RU		Services	
WS-C3750G-24TS-S1U	Catalyst 3750 24 10/100/1000 + 4 SFP + IPB Image; 1RU	WS-C3750X-24T-S	Catalyst 3750X 24 Port Data IP Base	-
WS-C3750G-48PS-E	Catalyst 3750 48 10/100/1000T PoE + 4 SFP + IPS Image	WS-C3750X-48P-E	Catalyst 3750X 48 Port PoE IP Services	-
WS-C3750G-48PS-S	Catalyst 3750 48 10/100/1000T PoE + 4 SFP + IPB Image	WS-C3750X-48P-S	Catalyst 3750X 48 Port PoE IP Base	-
WS-C3750G-48TS-E	Catalyst 3750 48 10/100/1000T + 4 SFP + IPS Image	WS-C3750X-48T-E	Catalyst 3750X 48 Port Data IP Services	-
WS-C3750G-48TS-S	Catalyst 3750 48 10/100/1000T + 4 SFP + IPB Image	WS-C3750X-48T-S	Catalyst 3750X 48 Port Data IP Base	-

Product Migration Options

Customers are encouraged to migrate to the Cisco Catalyst 3750-X and 3560-X Series Switches. Information about these products can be found at:

<http://www.cisco.com/en/US/products/ps10745/index.html> and <http://www.cisco.com/en/US/products/ps10744/index.html>.

Customers may be able to use the Cisco Technology Migration Program (TMP) where applicable to trade-in eligible products and receive credit toward the purchase of new Cisco equipment. For more information about Cisco TMP, customers should work with their Cisco Partner or Cisco account team. Cisco Partners can find additional TMP information on Partner Central at http://www.cisco.com/web/partners/incentives_and_promotions/tmp.html.

Customers may be able to continue to purchase the Cisco Catalyst 3750G, 3560G, 3750-E, and 3560-E Series Switches through the Cisco Certified Refurbished Equipment program. Refurbished units may be available in limited supply for sale in certain countries on a first-come, first-served basis until the Last Date of Support has been reached. For information about the Cisco Certified Refurbished Equipment program, go to: <http://www.cisco.com/go/eos>.

Service prices for Cisco products are subject to change after the product End-of-Sale date.

The Cisco Takeback and Recycle program helps businesses dispose properly of surplus products that have reached their end of useful life. The program is open to all business users of Cisco equipment and its associated brands and subsidiaries. For more information, go to: http://www.cisco.com/web/about/ac227/ac228/ac231/about_cisco_takeback_recycling.html.

For More Information

For more information about the Cisco Catalyst 3750-X and 3560-X Series Switches, visit <http://www.cisco.com/en/US/products/ps10745/index.html> and <http://www.cisco.com/en/US/products/ps10744/index.html>, or contact your local account representative.

To request information about the Cisco Catalyst 3750-X and 3560-X Series Switches, send an e-mail to ask-c3750-pm@cisco.com.

For more information about the Cisco End-of-Life Policy, go to: http://www.cisco.com/en/US/products/products_end-of-life_policy.html.

For more information about the Cisco Product Warranties, go to:
http://www.cisco.com/en/US/products/prod_warranties_listing.html.

To subscribe to receive end-of-life/end-of-sale information, go to:
<http://www.cisco.com/cisco/support/notifications.html>.

Subscribe for RSS Notifications for End-of-Life and End-of-Sale Notices

To subscribe to the End-of-Life and End-of-Sale RSS Feed, insert the following URL into your RSS application: http://www.cisco.com/web/feeds/products/end_of_life_rss.xml.

Any authorized translation issued by Cisco Systems or affiliates of this end-of-life Product Bulletin is intended to help customers understand the content described in the English version. This translation is the result of a commercially reasonable effort; however, if there are discrepancies between the English version and the translated document, please refer to the English version, which is considered authoritative.

© 2016 Cisco and/or its affiliates. All rights reserved.